UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS	1100	CALL	1/					 		
ENGLISHED INCOME.	UGE	UNI								
RECEIVE	_		1000				90 TO.		- 6 Pari	***
OCCENIC.		10.7		4 .						
UCCEIAE	u L			4 H						
				- 1	76 M					
		Af	-		~	100	~ .			
		-	-			11 11	W 1 100		5.76	

	DERAL PROPERTIES	DATE	ENTERED IN 19	•]
SEE INS	STRUCTIONS IN HOW T TYPE ALL ENTRIES (			}
NAME				
HISTORIC II C D	ost Office Winon	a Micciccinni		
AND/OR COMMON	ost office willon	a, mississippi		
LOCATION				
STREET & NUMBER				
306 Summit St	reet		NOT FOR PUBLICATION	
CITY, TOWN			CONGRESSIONAL DISTR	ICT
Winona	·	VICINITY OF	2	
STATE		CODE	COUNTY	CODE
Mississippi		28	Montgomery	97
CLASSIFICA	TION			
CATEGORY	OWNERSHIP	STATUS	PRES	ENT USE
DISTRICT	X PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
	PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
X STRUCTURE	вотн	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDEN
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS
OBJECT	_IN PROCESS	X_YES: RESTRICTED	<b>X</b> .GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	_INDUSTRIAL	_TRANSPORTATION
		_N0	MILITARY	OTHER:
AGENCY  REGIONAL HEADQUART  Memphis Field  STREET & NUMBER  1 North Front	Real Estate and Bu	ildings Office	United States Po	ostal Service
CITY, TOWN	<u> </u>		STATE	
Memphis		VICINITY OF	TN 3810	)3
LOCATION ( COURTHOUSE, REGISTRY OF DEEDS, ETC STREET & NUMBER	Chancery Clerk'	SIPTION s Office - Montgon	mery County Courth	nouse
P. O. Box 71				
CITY, TOWN			STATE	
Winona			Mississi	pi
REPRESENT	ATION IN EXIST	ING SURVEYS		
TITLE				
1 1 1	V			
DATE				
-None-	_	FEDERAL	STATE _COUNTY _LOCAL	
DEPOSITORY FOR				
SURVEY RECORDS				
CITY, TOWN			STATE	



#### CONDITION

**CHECK ONE** 

**CHECK ONE** 

\_\_EXCELLENT \_XGOOD

\_\_FAIR

\_\_DETERIORATED

∴RUINS
\_\_UNEXPOSED

<u>X</u>UNALTERED

\_ALTERED

XORIGINAL SITE

MOVED DATE

### DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The United States Post Office in Winona is located in the central business district. It is Colonial Revival in style. A brick basement level rises above grade to a very wide, double-course limestone water table. The elevated main floor is made accessible by a flight of limestone steps in two runs with cast iron railings. The exterior walls consist of one full story crowned by a limestone frieze, cornice and brick parapet which is continuous on all four sides. A tile-covered mansard roof above the cornice line conceals a partial mezzanine level which has a flat, built-up roof in the interior. Windows in this level are recessed dormers with wooden casement sash; these correspond to window bays in the main level. The street facade consists of five bays reading window-window-door-window-window. The central doorway is highlighted by a portico with two, limestone, Corinthian columns inantis supporting an architrave and a modillioned limestone pediment. The doorway is flanked by a pair of wooden pilasters. A transom light above the doorway is unique--a leaded glass window with an eagle motif. A medallioned architrave and cornice, both wood, complete the detailing. Additionally, two masonry abutments flank the stairs in front of the portico and two free-standing lanterns are positioned on them. Windows in the main facade are wooden, double hung, twelve over twelve sash with limestone lintels and flat brick arched lintels with limestone keystones. Unadorned limestone panels set flush with the brick are positioned above each The east and west facades each consist of six bays of windows. A mailing vestibule and platform project from the center of the rear (north) Brick masonry laid in the common bond is used throughout and quoins articulate the building's corners. A full basement level exists.

The interior plan (see attached plan drawings) consists of an L-shaped public lobby with a staircase to the mezzanine level next to the west wall. The postmaster's office is located behind the staircase. The remaining first floor space is given over to a large workroom. A lookout gallery is positioned over the vault area. The mezzanine level contains space for governmental offices and storage. The lobby contains a polychrome glazed tile floor, wooden wainscoting, an altered screenline; the original entry vestibule remains intact.

# 8 SIGNIFICANCE

PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	X ARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
<u>X</u> 1900-	COMMUNICATIONS	INDUSTRY	X.POLITICS/GOVERNMENT	_OTHER (SPECIEV)
		INVENTION	#	and the second second
			1	

SPECIFIC DATES

January 28, 1932

BUILDER/ARCHITECT Unknown

Office of the Supervising Architec

### STATEMENT OF SIGNIFICANCE Politics/Government

The first Public Buildings Act of 1913 and the second Public Building Act of 1926 were supplemented in 1933 by Congress, on the urging of Franklin Delano Roosevelt, with the Federal Emergency Administration of Public Works. Between 1933 and 1941 a tremendous amount of construction resulted in the United States, including four post offices in Mississippi constructed under the 1926 Act and thirty-two post offices in Mississippi constructed under 1933 PWA legislation.

The U.S. Post Office in Winona, Mississippi, built in 1932, is significant as one of four constructed in the state under the Public Buildings Act of 1926. It was designed by the Office of the Supervising Architect. The building also holds the distinction of being the first federal building constructed in Montgomery County. The Post Office in Winona, Mississippi was a part of a stepped up Public Works program designed by Herbert Hoover to relieve unemployment during the early stages of the Great Depression. (See also narrative entitled "Federal Construction Work 1913-1941").

### Architecture

This Post Office, the City Hall and Courthouse, represent the three most important governmental public buildings within the community. Of the thirty-six post offices within this thematic nomination all but six of them were designed in the Colonial Revival Style, or at least show influences of this style; the Winona structure recalls both Georgian and Federal Styles with its meticulous brickwork and limestone articulation. The projecting limestone portico with twin columns in antis is the most notable feature. Nobly proportioned and carefully detailed, this portico produces a refined monumentality which is unequaled elsewhere in Winona.

## 9 MAJOR BIBLIOGRAPHICAL REFERENCES

See bibliography attached to narrative entitled "The Treasury Department's Section of the Fine Arts Program" and "Federal Construction Work 1913-1941."

		ACREAGE NO	OT VERIFIED
10 GEOGRAPHICAL  ACREAGE OF NOMINATED PROPUTM REFERENCES	DATA PERTY 1/4 acre	TON MTU	VERIFIED
A 1, 6 2 4, 6 3, 3, 5  ZONE EASTING C                          VERBAL BOUNDARY DESC		B J L J J Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	NORTHING
The property n	ominated is indicat	ed by the crosseded Winona Quadrang	ink lines on the le.
See Continuati	lon Sheet for Verba	1 Boundary Descrip	tion.
LIST ALL STATES AN	D COUNTIES FOR PROPERTI	IES OVERLAPPING STATE	OR COUNTY BOUNDARIES
STATE	CODE	COUNTY	CODE
STATE	CODE	COUNTY	CODE
Michael W. Fazio, W ORGANIZATION Tomas Blackwell Cu			DATE October 1, 1979
Tomas Blackwell, Cu	rtis Franks	····	TELEPHONE
40 Eutaw Street CITY OR TOWN Starkville			(601) 323-3451 STATE Mississippi
	OF NOMINATIO ATE HISTORIC PRESERVATIO YES NO	ON OFFICER RECOMMEND	ATION
	s been allowed 90 days in wh aluated level of significance is	te this property to the Nationich to present the nominati	TORIC PRESERVATION OFFICER SIGNATURE nal Register, certifying that the State on to the State Review Board and to Local.
TITLE			DATE
FOR NPS USE ONLY I HEREBY CERTIFY THAT THI	S PROPERTY IS INCLUDED I	N THE NATIONAL REGISTI	ER DATE
DIRECTOR, OFFICE OF ARCH ATTEST:	EOLOGY AND HISTORIC PR	ESERVATION	DATE
KEEPER OF THE NATIONAL F	REGISTER		

orm No 10-300a Hev 10-74)

# UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY

RECEIVED

OCT 1 4 1980

DATE ENTERED

APR

7 1921

**CONTINUATION SHEET** 

ITEM NUMBER

PAGE

### WINONA, MS

The property is situated in the northwest quarter of section twenty five, township nineteen, range five east. Recorded 7 January 1932, Deed Record L, Pages 469-471, Montgomery County.

### BUILDING EVALUATION REPORT

BUILDING: Winona, Mississippi

DATE OF REPORT:

### CONTENTS

PAGE

REGIONAL MAP

**PHOTOGRAPHS** 

ASSIGNMENT PLANS

**PERMITS** 

ANALYSIS AND RECOMMENDATION

MACHINE PRODUCED BER

BUILDING DESCRIPTION RECORD

BUILDING R&I WORK ITEM INVENTORY

BUILDING R&I WORK ITEMS AWARDED/COMPLETED

BUILDING OCCUPANCY RECORD

BUILDING EQUIPMENT DATA RECORD

OCT I 4 1980

	· O		
0 888 91	DATE INSPECTED APR 66		BUILDING DESCR
			AS OF DATE
03	U S POST OFFICE	01	CITY CODE 2830
7 )	SUMMIT STREET		FACILITY CODE
O 05	WINONA MISSISSIPPI	06	CONGRESSIONAL DIS
$\sim$			
BLOCK	DESCRIPTION		
0 12	LAND AREA -50 FEET		- · · · - · - · · · · · · · · · · · · ·
11113	LAND COST		
$\bigcirc 14$	LAST ACQUISITION -YEAR.		
16	BUILDING ACQUIRED BY GSA -YEAR		
17_	BUILDING COMPLETED -YEAR		•••••••1933
$\bigcirc 18$	FLOORS, MAXIMUM -NUMBER		
<u> 19</u> 20	BUILDING COST		
	RETENTION LIFE YEARS.		
		•••••	
/ \	FAIR MARKET VALUE		
$\bigcirc$ 23	GROSS BUILDING AREA -SQ FEET		
<u>24</u>	CIRCULATION AREA -SO FEET		
·O26			
27	NET AREA ASSIGNABLE BY OTHER -SQ FEE	T	6,040
○¹ 29 30	STRUCTURE -TYPE		
31	FOUNDATION -TYPE		
· O			
32			
34	EXTERIOR SURFACE INSTALLED SYEAR EXTERIOR SURFACE SPERCENT COVERED	• • • • • •	908
	LIGHT COURTS OPEN NUMBER		
36	LIGHT COURTS CLOSED _NUMBER		
	SKYLIGHTS -NUMBER	• • • • •	
38	EMERGENCY EGRESS -STATUS	FOR A	AATIONAL REGISTER
0 40	LANDSCAPING -STATUS		
	PARKING SPACES -NUMBER		
<u> </u>	BLDG OFFIDANTS DED DARKING SDACE HIL	MRED	
<u>42</u>	BLDG_OCCUPANTS_PER_PARKING_SPACE = NU FLAGPOLES = NUMBER		
44			
( 45	ROOF -TYPH		OMPOSITION. TITE
46	BIRDPROOFING -STATUS	4.4.4.4.6.4	NOT REQUIRED
47	TYPE OF FUELPLUMBING SYSTEM -STATUS		
49	RESTROOMS   MALE =NUMBER		
• -	RESTROOMS. FEMALE _NUMBER		
$\bigcirc$ 51	WATERHEATER -TYPE		•••••GAS
52	INCINERATOR		NO
	097 1880		
	( )		1, )


()		()		
ION REPORT APR 71		90	REGION BUILDING AREA CODE	230059
CT 1 N_CENTER	<del>-</del> -	OPERATING	G AGENCY P ( ON CYCLE 4)	) D
LOCK DESCRIPTION			VIROL	
53 KW POWER	NUMBER	• • • • • • • • • •	****	
55 UNDERFLOOR DUCTS 56 TYPE SERVICE 57 EMERGENCY POWER 58 FIRE ALARM -STA		PHASE 4	WIRE120/2	208 VOLT
FIRE SPRINKLER .  59 FIRE SPRINKLER .  60 FALLOUT SHELTER.  61 ELEVATORS -NUMBER.  62 ESCALATORS -NUMBER.	STATUSER	• • • • • • • • • • • • • • • • • • •	NOT F	REGUIRED •••••NO
DUMBWAITERS -NUM SIDEWALK LIFTS - SEATING CAFETERIAS -NUM TOTAL SEATING CAFETERIAS -NUM TOTAL VENDING STANDS IN CONTROL AIR CO	-NÜMBER	NUMBER		· · · · · · · · · · · · · · · · · · ·
71 PACKAGE AIR CONT 72 EVAPORATIVE COOL	LERS "NUMBER			
73 AIR CONDITIONING 74 SPACE NOW AIR CO 75 SPACE TO BE AIR 76 SPACE TO BE AIR	ONDITIONED -SQ   CONDITIONED BY	FEET	EET	5.546
77 SPACE NOT TO BE 78 SPACE TO BE RE- 79 AIR RAID SYSTEM 80 WATCHMAN SYSTEM 81 R&I FUNDING PER 82 FIRST BLDG EXTER	AIR CONDITIONED AIR CONDITIONED -STATUS	D SQ FEET.	NOT F	4,386 NO REGUIRED
84. SECOND BLDG EXTER 86 THIRD BLDG EXTER 88. FOURTH BLDG EXT				
		•		
			RCS-PI	3-72-125

WINDOWA MISSISSIPPI  * * * * * * * * * * * * * * * * * * *		
WI PROJ CAT APPR AAS WORK ITEM TITLE		R & I WORK LOA
OO12 000 213 141 74213 EXTERIOR PAINTING. NO SYNCHETE EXTERIOR PAINTING OR POINTING COMPLETE EXTERIOR PAINTING OF BUILDING INCLUDING CAULKING AND PUTTYING ALL WINDOWS AS NEEDED. PAINT EXISTING FLAGPOLE. COOLING TOWER AND ALL EXPOSED WOOD AND METAL SURFACES.  W I PROJ CAT APPR AAS WORK ITEM TITLE	* * * * * * * * * * *	WORK ITEM INVEN
EXT. PAINTING OR POINTING COMPLETE EXTERIOR PAINTING OF BUILDING INCLUDING CAULKING AND PUTTYING ALL WINDOWS AS NEEDED. PAINT EXISTING FLAGPOLE. COOLING TOWER AND ALL EXPOSED WOOD AND METAL SURFACES.  W I PROJ CAT APPR AAS WORK ITEM TITLE	PR AAS WORK ITEM TITLE	CAP ESTIMATED CO
COMPLETE EXTERIOR PAINTING OF BUILDING INCLUDING CAULKING AND PUTTYING ALL WINDOWS AS NEEDED. PAINT EXISTING FLAGEDLE. COOLING TOWER AND ALL EXPOSED WOOD AND METAL SURFACES.  WI PROJ CAT APPR AAS WORK ITEM TITLE		NO \$90
O013 000 213 141 74213 INTERIOR PAINTING. NO S2.6  INT. PAINTING OR POINTING  COMPLETE INTERIOR PAINTING AND PLASTER REPAIRS AS NECESSARY. PAINT INTERIOR COLORS AS DESIGNATED BY BUILDINGS MANAGER.  ***CHG***  W I: PROJ CAT APPR AAS WORK ITEM TITLE	PAINTING OF BUILDING INCLUDING CAULKING INDOWS AS NEEDED. PAINT EXISTING	
INT, PAINTING OR POINTING COMPLETE INTERIOR PAINTING AND PLASTER REPAIRS AS NECESSARY. PAINT INTERIOR COLORS AS DESIGNATED BY BUILDINGS MANAGER.  ***CHG***  WI: PROJ CAT APPR AAS WORK ITEM TITLE	PR AAS WORK ITEM TITLE	CAP ESTIMATED CO
COMPLETE INTERIOR PAINTING AND PLASTER REPAIRS AS NECESSARY. PAINT INTERIOR COLORS AS DESIGNATED BY BUILDINGS MANAGER.  ***CHG***  W I PROJ CAT APPR AAS WORK ITEM TITLE		NO 52.6
W I PROJ CAT APPR AAS WORK ITEM TITLE CAP ESTIMATED COO21 000 214 141 74214 WATERPROOFING. NO \$3.00 EXT. PAINTING OR POINTING CLEAN, POINT, AND WATERPROOF THE ENTIRE BUILDING, TOP OF PARAPET WALL AT N. W. CORNER OF BUILDING HAS SOME BRICKS LOOSE. CONSIDER REMOVING TOP COURSES AT CORNER AND REBUILDING. REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE CAP ESTIMATED COO14 000 310 141 74132 FLOORS. NO \$3 74000 NON CAPITALIZED REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.	PAINTING AND PLASTER REPAIRS AS NECES!	
O021 000 214 141 74214 WATERPROOFING. NO S3.0 EXT. PAINTING OR POINTING  CLEAN, POINT, AND WATERPROOF THE ENTIRE BUILDING, TOP OF PARAPET WALL AT N. W. CORNER OF BUILDING HAS SOME BRICKS LOOSE. CONSIDER REMOVING TOP COURSES AT CORNER AND REBUILDING, REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE CAP ESTIMATED CO14 000 310 141 74132 FLOORS. NO S3  74000 NON CAPITALIZED  REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.		**CHG**
EXT. PAINTING OR POINTING CLEAN, POINT, AND WATERPROOF THE ENTIRE BUILDING, TOP OF PARAPET WALL AT N. W. CORNER OF BUILDING HAS SOME BRICKS LOOSE. CONSIDER REMOVING TOP COURSES AT CORNER AND REBUILDING, REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE	PR AAS WORK ITEM TITLE (	CAP ESTIMATED CO
CLEAN, POINT, AND WATERPROOF THE ENTIRE BUILDING, TOP OF PARAPET WALL AT N. W. CORNER OF BUILDING HAS SOME BRICKS LOOSE. CONSIDER REMOVING TOP COURSES AT CORNER AND REBUILDING. REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE———————————————————————————————————		NO33.00
LOOSE. CONSIDER REMOVING TOP COURSES AT CORNER AND REBUILDING. REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE	WATERPROOF THE ENTIRE BUILDING, TOP (	of
REBUILDING. REPOUR JOINTS AT BASE AND ALONG SIDES OF FRONT ENTRANCE STEPS. MINOR REPAIRS ARE NEEDED ON CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  W I PROJ CAT APPR AAS WORK ITEM TITLE CAP ESTIMATED CONCRETE WALL BESIDE LOWER FRONT ENTRANCE STEPS.  NO 9.3  74000 NON CAPITALIZED REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.		CKS
W I PROJ CAT APPR AAS WORK ITEM TITLE	R JOINTS AT BASE AND ALONG SIDES OF FI	
O014 000 310 141 74132 FLOORS. NO S3 74000 NON CAPITALIZED REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.		ALL
74000 NON CAPITALIZED  REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE  BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE  SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT  ENTRANCE VESTIBULE.	PR AAS WORK ITEM TITLE	CAP ESTIMATED CO
REPLACE APPROXIMATELY FIVE THREE-FOOT SECTION OF MARBLE BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.		NO 5.3
BORDER FLOOR WHICH IS WORN AND DISHED LOCATED ALONG THE SCREENLINE. ALSO REPLACE WORN MARBLE BORDER AT FRONT ENTRANCE VESTIBULE.		
ENTRANCE VESTIBULE.	IS WORN AND DISHED LOCATED ALONG THE	
OCT 1 4 1980		
	198n	

		( )				()		
SUMMIT	T OFFICE STREET MISSISSI						R	E I WORK LOAF DATE 22 FE
* *	* * *	# #	* * *	* *	* * *	* *	WOR	C ITEM INVENT
W I P	ROJ CAT	APPR A	AS WOR	K ITEM	TITLE		ÇAP	ESTIMATED CO
0015 0					DER.		NO	\$30
INNER C LADDER	A WALL OURT ROO IS NEEDE	F TO UPP D FOR AC	METAL LA ER ROOF. CESS TO	DDER UP SEE P UPPER R	HOTO IN	R AND I	FILE.	
•	ROJ CAT						CAP	ESTIMATED CO
0024 0	00 310	141 74	132 HAN	DRAILS.			МО	<u> </u>
INSTALL BASEMEN	A HANDR	NON CAP AIL ON E			T ENTRAN	CE TO		
					<u></u>			**CHG**
WI. P	ROJ CAT	APPR A	AS WOR	K ITEM	TITLE	, en en en <sup>(68</sup> en en en	CAP	ESTIMATED CO
0017 0					DRIVE.		No	\$2,30
	G CONCRE		IS CRAC	KED AND				
	RESURFA							
	OULD NOT							
THE MAR	QUEE SIN	CE PRESE	NT HEIGH	T 15 CR	ITICAL.	SEE PHO	NI OTO	
	FILE.			1.00			>	
Remarks of the control of the control of	AT ENTRA	The second secon	<u> </u>	IO PREV	ENT WATE	K FRUM	rationalista anno estatui, ma estatura est	ACT 1070-A1800-LERN 2007-ABILEA 20 LERN 2017-1070-1070-1070-1070-1070-1070-1070-
W I P	ROJ CAT	APPR A	AS WOR	K ITEM	TITLE		CAP	ESTIMATED CO
0028 0	00 330	141 74	132 LAN	DSCAPIN	G.		NQ	540
RESEED SHRUBS.	AND FERT	NON CAP			Y DEAD O	R_DISEAS	SED	
		J.C.	7 1 4 19n.;	-managanga kanja kan (milian Adman Ma			and a second translation of the second s	tana dikendenganta serakandakan dikenangan anamasa serse
					STATE OF MICE ST. STATE COLOR CONTRACT OF CASE STATE OF COLOR COLOR COLOR		anganingkin sandjust am di 100 militariya kana	


U S POST OFFICE		R & I WORK LO
SUMMIT STREET WINONA MISSISSIPPI		AS OF DATE 22 FI
* * * * * * * * * * * *	* * *	WORK ITEM INVENT
WI PROJ CAT APPR AAS WORK ITEM TITLE.		CAP ESTIMATED CO
0023 000 410 141 74132 LIGHTING.		10 550
74000 NON CAPITALIZED REPLACE INCANDESCENT LIGHTS IN CORRIDOR OF	SECOND FLOOR	WITH
NEW FLUORESCENT LIGHTS.		
	• .	
W I PROJ CAT APPR AAS WORK ITEM TITLE.		CAP ESTIMATED C
0016 000 440 141 74132 ACOUSTICAL CEIL	ING. I	10 94
INSTALL A GRID SYSTEM SUSPENDED ACOUSTICAL	CFILING IN TH	łe
POSTMASTERS OFFICE FOR IMPROVED APPEARANCE /	AND NEEDED	
ACOUSTICAL TREATMENT. NEW CEILING SHOULD BY		
SEVEN INCHES BELOW EXISTING CEILING. LIGHT		
ARE FLUORESCENT AND STEMS ARE LONG ENOUGH FOR REMAIN IN PLACE JUST AS THEY ARE.	OR LIGHTS TO	
W I PROJ CAT APPR AAS WORK ITEM TITLE.	The second secon	CAP ESTIMATED CO
INSTALL PARTITIONS AS NEEDED. REPLACE MARBI	OLD URINALS. ES. CONSIDER EPLACE AND LE WINDOW SIL	Lin
74000 NON CAPITALIZED MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORI; EPOXY PAINT ON WAINSCOTING IN RESTROOMS. RI INSTALL PARTITIONS AS NEEDED. REPLACE MARBI PUBLIC TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES. MIRROR. OWEL HOLDER.	.L 1N
74000 NON CAPITALIZED MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORING EPOXY PAINT ON WAINSCOTING IN RESTROOMS. REPLACE MARBINSTALL PARTITIONS AS NEEDED. REPLACE MARBINED TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES. MIRROR. OWEL HOLDER.	L IN
74000 NON CAPITALIZED MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORIS EPOXY PAINT ON WAINSCOTING IN RESTROOMS. REPLACE MARBI INSTALL PARTITIONS AS NEEDED. REPLACE MARBI PUBLIC TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.  W I PROJ CAT APPR AAS WORK ITEM TITLES  0019 000 460 141 74132 MECHANICAL. 74000 NON CAPITALIZED	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES: MIRROR. OWEL HOLDER.	L IN  CAP ESTIMATED CO
74000 NON CAPITALIZED MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORIS EPOXY PAINT ON WAINSCOTING IN RESTROOMS. RE INSTALL PARTITIONS AS NEEDED. REPLACE MARBS PUBLIC TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.  W I PROJ CAT APPR AAS WORK ITEM TITLES  0019 000 460 141 74132 MECHANICAL.	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES, MIRROR, OWEL HOLDER.  ROOM. REMOVE E SERVICE OF	L IN  CAP ESTIMATED CO
74000 NON CAPITALIZED MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORIS EPOXY PAINT ON WAINSCOTING IN RESTROOMS. RE INSTALL PARTITIONS AS NEEDED. REPLACE MARBS PUBLIC TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.  W I PROJ CAT APPR AAS WORK ITEM TITLES  0019 000 460 141 74132 MECHANICAL. 74000 NON CAPITALIZED REPLACE OLD SERVICE SINK LOCATED IN BOILER OF WALL MOUNTED LAVATORIES LOCATED IN SELECTIVE	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES, MIRROR, OWEL HOLDER.  ROOM. REMOVE E SERVICE OFF	L IN  CAP ESTIMATED CO  NO \$60
MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORISE EPOXY PAINT ON WAINSCOTING IN RESTROOMS. REPLACE MARBINSTALL PARTITIONS AS NEEDED. REPLACE MARBINED TO THE TOTAL ON POTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.  W I PROJ CAT APPR AAS WORK ITEM TITLE.  O019 000 460 141 74132 MECHANICAL.  74000 NON CAPITALIZED  REPLACE OLD SERVICE SINK LOCATED IN BOILER FOR WALL MOUNTED LAVATORIES LOCATED IN SELECTIVE AND SOIL CONSERVATION OFFICES ON SECOND FLOOR	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES, MIRROR, OWEL HOLDER.  ROOM. REMOVE E SERVICE OFF	L IN  CAP ESTIMATED CO  NO \$60  ICES
T4000 NON CAPITALIZED  MODERNIZE RESTROOMS INCLUDING REPLACING ALL WATER CLOSETS, SHOWER FIXTURES AND LAVATORING EPOXY PAINT ON WAINSCOTING IN RESTROOMS. REPLACE MARBING PUBLIC TOILET ON PSTALL NEW TOILET ACCESSOR PAPER HOLDERS, SOAP DISPENSERS, AND PAPER TO INSTALL EXHAUST FANS WHERE NEEDED.  W I PROJ CAT APPR AAS WORK ITEM TITLE.  O019 000 460 141 74132 MECHANICAL.  74000 NON CAPITALIZED REPLACE OLD SERVICE SINK LOCATED IN BOILER IN WALL MOUNTED LAVATORIES LOCATED IN SELECTIVE AND SOIL CONSERVATION OFFICES ON SECOND FLOOR	OLD URINALS, ES. CONSIDER EPLACE AND LE WINDOW SIL IES, MIRROR, OWEL HOLDER.  ROOM. REMOVE E SERVICE OFF	L IN  CAP ESTIMATED CO  NO \$60

5(	IMMI	DST OF STR	EET	- Landing of Signal Congress of Signature (1996)													ORK LOAD
- No	<b>*</b> 1	t #	* :	* *	*	*	* *	*	*	*	*	*	*	#	WOR	K ITEM	INVENTOR
W	1	PROJ	CAT	APP	R	AAS	WOF	RK I	TEM	TI	rLE			<b></b>	- CAP	ESTIM.	ATED COST
0	020			141					MO	DEKI	VIZ.	ATI	ON.		NO		\$6,000
М	DDF RI	NIZE.		O NON ROOMS					ACI	NG A	ALL'	DL.	D U	RINA	AL5.		
W	ATER	CLOS	ETS,	SHOW	ER I	TXT	URES	AND	LA	VATO	ORI	£5.	C	ONS:	IDER	Committee of the commit	and the second s
		PAIN	-										-			g gyrs i Nillionin yr frygor glenn bleth no	in in sylvatoric sectionary described developing of the control of
		TO1			•					-					_21 <b>[</b> 1	¥	
		HOLD													•		
		L EX	-							, ,	• ,	- · ·		,,			
				•	TO MERCENIA CONT.		,								er er. 1 indhum de er hand i er hand i e		en en elle de en en en en en elle elle de un elle elle elle elle elle elle elle
~ W	1	PROJ	CAT	APP	'R /	AAS	WOF	₹K <b>I</b>	TEM	TIT	TLE:			,	CAP	ESTIM	ATED COST
0	026	000	T440 REIM			4132 #	JOM	DERN	IZA	TIOI	V.				NO		\$8,500
- E	LAR						ODER	IIZE	SC	REE	iL I i	NE.	R	EPLA	ACE OLD		
															. RAIS	E	
		EE AT															A P Th
							SARY	BEF	OKE	DK.	IVE	AN	U M	ANE	UVERING	EK,	ASED#
M	YEA I	CAN B	E. RE	SUKFA	CED	•											
W	ľ	PROJ	CAT	APP	R	AA5	WOF	₹K I	TEM	ŢIJ	rle:		**********************************	**************************************	- CAP	ESTIM.	ATED COST
0	019			141					ICA	L •			-		NO	ودرو المهوادي فالمال والمعارض والمداعد	5600
P	:: <b>D1</b> A1	CE OL		O NON					N R	O TI d	- R	ผกก	<b>8.</b> 4	Ret	MOVE		
															OFFICE	5	The second secon
		יונ כ											wa ;	- 64			
					to a series year	, o per a l'il								· • • · · ·	·	The Matthew Control of the Control	er salt selentere skrive til til ett i det
				ŌΛΕ	RDUI	2		-70-		- *·	***	<b>*71</b>	<b>**</b>	<b>*</b> *	72		*****73**
. Α	δВ		*			r						en men en	· 		n en		was meneral and a second of the second of th
and the second	er a van er sanger er semerete	appropriate to require the	\$	n - en levilla komo male gank da limites.		200	بعريق ومحملين بمدارية	سيدي ورسيد دردست	war kasar maning		nang Manapagan Vina		and the second		entenni nilitari peri sa september nilitari sa sa september	er ens maner value va un	partinggregative titler communications in various of their deposits. It
F	6 I		ť							3							
<b></b>	**************************************	and an industrial or a second second second second	3					6	•40	ō			*** *** **** ***				The second secon
									•								
D	FG	H	#		the month was reserved	No. of the second				1		to the feet		8	control i participa de trata e e	Anna and an anna anna anna anna anna ann	The state of the s
		n	<b>5</b>	· · · · · · · · · · · · · · · · · · ·		tara, ari			30	Ø		1	0.70	00	e e e e e e e e e e e e e e e e e e e		
R	<i>5</i> . 1	TOTA	1 %			1		ľ		4				8		•	
	¥ .	1414	- ·	The second second second second		200		6	•70	0		1	0,7	•	NAMES OF TAXABLE PARTY.	A 11 MARS - MARS	
					`							. ~					
R	EIMB		#			"		• ~		2					•		
		101 - 201 - 111	. 5	ስቦ	T 1 7	1980		13	,50	Ü	en n æ i	e			n war ni in windhin na a la na	general agent of the	
				UU	11 14	י ואמט											




SUMMIT STREET

ASSIGNMENT APPROACH PLAN
SCALE: 1/50" N.T. ASSIGNABLE SPACE GO40 SQ.FT
BROSS FLOOR AREA 11,898 SQ.FT U. S. POST OFFICE WINONA, MISS. DRAWING NO. AS. I DRAWING BY STEWART CHECKED BY: 64 40 REVISED BY JASCOMB 327



ASSIGNMENT DASEMENT FLOOR PLAN DEALE: 1/16" - 1' o" U. S. POST OFFICE WINONA, MISS. DRAWING NO. - AS Z PRAWING DY - STEWART CHECKED BY LABOURD PLACES TO REVIAED BY LABOURD PLACES TO




ASSIGNMENT FIRST FLOOR PLAN SCALE 1/16" 11'-0" U. 5. POST OFFICE WINONA, MISS. DRAWING NO. AS 3

PRAWING BY- STEWART CHECKED BY-

REVISED BY JASCOMB 2-22-57 GODWIN 1-2-5-3 PUMBS 4-V-GO Man: 2-3-60

Mayor 12-30-66



ASSIGNMENT MEZZANINNE FLOOR PLAN SCALE: 1/16' + 1'-0" U. S. POST OFFICE WINONA, MISS. DRAWING NO. A.S. 4 DRAWING BY BTEWART CHECKED BY AEVISED BY JASCOMB 2-22-57 AEVISED BY JASCOMB 2-22-57 WINDOWN JEWEST

HIT WIND MENT



## United States Post Office Winona, Mississippi Exterior, front and side view



### United States Post Office Winona, Mississippi

Exterior, rear and side view